

AMD Reporting Forms Change Log

Effective August 6, 2020

Form		Excel Form Changes	XML Schema Changes
AMD7	Manual Stack Survey	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Removed unit value within embedded schema (XSD): kscfm Added unit values within embedded schema: <ul style="list-style-type: none"> mole% mole% dry (Updated to version 1.9)

February 7, 2020 [Effective February 21, 2020]

Form	Excel Form Changes	XML Schema Changes
AMD1 Approval Contravention	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): Duration, MeasuredOrEstimatedParameterQuantity, LimitConditionQuantity. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: Parameter Quantity Units, Limits Condition Units. Removed file naming conventions and added link to online guide. (Updated to version 1.6)
AMD2 CEMS Summary	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): MonthlyStackExhaustHours, TotalCemsOperationalHours, CemsAnalyzerPercentAvailability, MinimumReading, MaximumReading, AverageReading, MinimumEmissionRate, MaximumEmissionRate, AverageEmissionRate, MassEmissionMonthTotal, ApprovalLimit, HoursExceedingLimits. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: AnalyzerRangeUnits, AnalyzerSecondRangeUnit, Parameter Name, Method1MissingData, Method2MissingData, Method3MissingData, Method4MissingData. Removed file naming conventions and added link to online guide. (Updated to version 1.9)
AMD3 CEMS Zero and Span Summary	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): AnalyzerFullScale, ZeroReadingFromAnalyzer, ZeroReferenceGasConcentration, ZeroCemsDriftPercent, SpanReadingFromAnalyzer, SpanReferenceGasConcentration, SpanCemsDriftPercent. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: ZeroAlbertaCemsCodeCriteria, SpanAlbertaCemsCodeCriteria, AnalyzerFullScaleUnits, Parameter Name. Removed file naming conventions and added link to online guide. (Updated to version 1.7)

<p>AMD4 CGA Summary</p>	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): Concentration, PercentFullScale, CylinderPressure, DeliveryPressure, CemsResponse1Concentration, CemsResponse2Concentration, CemsResponse3Concentration, AVERAGEResponse, CalculatedPercentLinearity, ApprovalLimit, CemsAnalyzerLowerRange1, CemsAnalyzerLowerRange2, CemsAnalyzerUpperRange1, CemsAnalyzerUpperRange2. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: ApprovalLimitUnits, ConcentrationUnits, CemsAnalyzerRangeUnits1, Parameter Name. Removed file naming conventions and added link to online guide. <p>(Updated to version 1.8)</p>
<p>AMD5 Emissions Summary</p>	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): MonthlyPlantTotal, MonthlyParameterAverage, QuarterlyPlantTotal, QuarterlyParameterAverage, HoursOfOperation, MonthlyStackAverage, QuarterlyStackTotal, QuarterlyStackAverage, DailyPlantTotal, AnnualPlantTotal, AnnualParameterAverage, AnnualStackTotal, AnnualStackAverage, MonthlyAverageForAllSources. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: Parameter Name, Units. Removed file naming conventions and added link to online guide. <p>(Updated to version 1.6)</p>
<p>AMD6 Flare Stack</p>	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): Value, ProcessStreamVolumeSentToFlare, FuelGasVolumeSentToFlare, ProcessStreamVolumeVented, H2SPercentContainedInFlaredGas, NetHeatingValueOfFlaredGas, NetHeatingValueOfFuelGas. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: Substance Name, Units. Removed file naming conventions and added link to online guide. <p>(Updated to version 1.6)</p>

<p>AMD7 Manual Stack Survey</p>	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): ProductionRateDuringTest, AvgProductionRateForPrevious30Days, AverageValue, ApprovalLimit, TestValue. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: ApprovalLimitUnits, Parameter Name, Units. Removed file naming conventions and added link to online guide. <p>(Updated to version 1.8)</p>
<p>AMD8 Production</p>	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): Value, MonthlyTotalAveragePercentSulphur, QuarterlyTotal, AnnualTotal, AnnualAveragePercentSulphur. Removed file naming conventions and added link to online guide. <p>(Updated to version 1.5)</p>
<p>AMD9 RATA Summary</p>	<ul style="list-style-type: none"> No changes 	<ul style="list-style-type: none"> Restricted fields to decimal within embedded schema (XSD): ComplianceTestRunResultValue, StackDiameter, ProductionRateDuringTest, AvgProductionRateForPrevious30Days, CemsAnalyzerFullScale, RelativeAccuracyAverageCemsResponse, RelativeAccuracyAverageReferenceMethodResult, RelativeAccuracy, BiasPercent, ComplianceTestRunsResultsAverage, ApprovalLimit. Restricted field values in embedded schema (XSD) based on dropdown options in Excel form: RelativeAccuracyCemsCodePerformanceSpecification, RelativeAccuracyPerformanceSpecificationUnits, Parameter Name, Units. Removed file naming conventions and added link to online guide. <p>(Updated to version 1.8)</p>

<p>AMD10 S-30 Form</p>	<ul style="list-style-type: none"> • No changes 	<ul style="list-style-type: none"> • Restricted fields to decimal within embedded schema (XSD): SulphurInActualPlantFeedstockVolume, SulphurInActualPlantFeedstockMass, SulphurOutGasFlaredVolume, SulphurOutFlaredGasEmission, SulphurOutVolume, SulphurOutMass, TotalSulphur, SulphurInPercentH2S, SulphurOutPercentH2SFlaredGasSulphurOutPercentH2S, MonthlyMeasurementPercentDifference, EmissionMonitorDown, SulphurInApprovedMaxDailyPlantFeedstockVolume, SulphurInApprovedMaxDailyInlet, SulphurRecoveryEfficiencyMinApproved, SulphurRecoveryEfficiencyActualMonthly, SulphurRecoveryEfficiencyCumulativeQuarterly. • Removed file naming conventions and added link to online guide. <p>(Updated to version 1.7)</p>
<p>AMD11 Stack Survey and RATA Notification</p>	<ul style="list-style-type: none"> • Changed column J heading from “Deviations from Sampling Methods (Yes/No)” to “Deviations from Sampling Methods or Approval Conditions (Yes/No)”. • No changes to any form fields. <p>(Version unchanged: 3.1)</p>	<ul style="list-style-type: none"> • Update to data dictionary field description for “DeviationsFromSamplingMethods”. • No changes to embedded XML schema (XSD file). <p>(Updated version 2.0)</p>

<p>AMD12 Sulphur Recovery and Removal</p>	<ul style="list-style-type: none"> • No changes 	<ul style="list-style-type: none"> • Restricted fields to decimal within embedded schema (XSD): SO2InIncineratorFlueGasMax1HourIncineratorStackSO2MassEmission, IncineratorStackSO2MassEmissionMax1Hour, IncineratorStackTempMinimum1HourAverage, SO2MassEmissionRateFromFlareStack, IncineratorStackSO2MassEmission, SO2MassEmissionRateFromFlareStack, PercentOfTotal, AnalyzerUptimeSO2LimitPpm, SO2LimitTonnesPerHour, SO2LimitTonnesPerDay, MinimumStackTopTemp, MinApprovedSulphurRecoveryEfficiency, ApprovedMaxSulphurInletRate, ActualAvgSulphurRecoveryEfficiencyForMonth, ActualAvgSulphurInletRateForMonth, PercentTimeUnderDailyMassEmissionsLimit, PercentTimeUnderHourlyMassEmissionsLimit, QuarterlySulphurRecoveryEfficiency, AverageDailySulphurInletRate, Duration. • Removed file naming conventions and added link to online guide. <p>(Updated to version 1.9)</p>
---	--	---

Version 3.2 and 3.3 Changes – August 23, 2019

Form	Form Changes	Changes to Drop-downs
AMD3 CEMS Zero and Span Summary (Updated to version 3.3)	<ul style="list-style-type: none"> Drop down changes only 	<ul style="list-style-type: none"> Removed unnecessary parameters from drop-down. Added two units (g/m³ dry @ 10% O₂, g/Sm³ dry @ 7% O₂) to drop-down and removed unnecessary units.
AMD7 Manual Stack Survey Summary (Updated to version 3.2)	<ul style="list-style-type: none"> Drop down changes only 	<ul style="list-style-type: none"> Added two parameters (Copper, and Total PCDD/PCDF) to drop-down and removed unnecessary parameters. Added two units (g/m³ dry @ 10% O₂, g/Sm³ dry @ 7% O₂) to drop-down and removed unnecessary units.
AMD9 RATA Summary (Updated to version 3.3)	<ul style="list-style-type: none"> In example tab, changed cell L26 from "%" to "°C of ref method". Changed cell validation rules to allow negative values in column J (relative accuracy). 	<ul style="list-style-type: none"> Removed unnecessary parameters from drop-down. Added two units (g/m³ dry @ 10% O₂, g/Sm³ dry @ 7% O₂) to drop-down and removed unnecessary units.

Version 3.2 Changes – June 21, 2019

Form	Form Changes	Changes to Drop-downs
AMD2 CEMS Summary	<ul style="list-style-type: none"> Changed cell validation rules to allow zeroes in cell B23, and columns N, O, and V, in all replicates and tabs. Added an alert to users when a cell is dragged and dropped, as this corrupts the Excel form and causes errors in submission. 	<ul style="list-style-type: none"> Added two units (g/m³ dry @ 10% O₂, g/Sm³ dry @ 7% O₂) and removed unnecessary units and parameters from drop-downs.
AMD4 CGA Summary	<ul style="list-style-type: none"> Changed cell validation rules to allow zeroes in columns H and I, in all replicates. Primary Range results (rows 30-31) were changed in the ETS system to “not required” to allow for reporting of only the dual span/second range, if desired. Added an alert to users when a cell is dragged and dropped, as this corrupts the Excel form and causes errors in submission. 	<ul style="list-style-type: none"> Added two units (g/m³ dry @ 10% O₂, g/Sm³ dry @ 7% O₂) and removed unnecessary units and parameters from drop-downs.
AMD5 Emissions Summary	<ul style="list-style-type: none"> Added an alert to users when a cell is dragged and dropped, as this corrupts the Excel form and causes errors in submission. 	<ul style="list-style-type: none"> Removed unnecessary units and parameters from drop-downs.
AMD6 Flare Stack	<ul style="list-style-type: none"> Changed cell input message in column H to clarify that only notifications relevant to EPEA approvals are applicable. Added an alert to users when a cell is dragged and dropped, as this corrupts the Excel form and causes errors in submission. 	<ul style="list-style-type: none"> Removed unnecessary units and parameters from drop-downs.

Version 3.2 Changes – March 22, 2019

Form		Form Changes	Changes to Drop-downs
AMD3	CEMS Zero and Span Summary	<ul style="list-style-type: none"> Changed data validation rule to entries for columns K, L, M, and O, P, Q to enable numerical entries without restriction on value. 	<ul style="list-style-type: none"> Added "N/A" as a drop-down option for Criteria Based on the Alberta CEMS Code fields.
AMD9	RATA Summary	<ul style="list-style-type: none"> Modified input instructions for audit dates field (cell E16), and changed the example tab for the same field. 	<ul style="list-style-type: none"> None

Version 3.1 Change – March 11, 2019

Form		Form Changes	Changes to Drop-downs
AMD7	Manual Stack Survey Summary	<ul style="list-style-type: none"> Changed example tab data only 	<ul style="list-style-type: none"> None

AMD Reporting Forms Change Log

Version 3.1 Changes – January 18, 2019

Form	Form Changes	Changes to Drop-downs
AMD1 Approval Contravention	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Changed the version number and date. 	<ul style="list-style-type: none"> None
AMD2 CEMS Summary	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Added a listing of parameters drop-down items to instructions tab. Made a background change which was necessary for submission of form. Changed the version number and date. 	<ul style="list-style-type: none"> None
AMD3 CEMS Zero and Span Summary	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Added a listing of parameters drop-down items to instructions tab. Changed the version number and date. 	<ul style="list-style-type: none"> None
AMD4 CGA Summary	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Added a listing of parameters drop-down items to instructions tab. Changed the version number and date. 	<ul style="list-style-type: none"> None
AMD5 Emission Summary	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Added a listing of parameters drop-down items to instructions tab. Changed the version number and date. 	<ul style="list-style-type: none"> None
AMD6 Flare Stack	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Added a listing of parameters drop-down items to instructions tab. Changed the version number and date. 	<ul style="list-style-type: none"> None
AMD7 Manual Stack Survey Summary	<ul style="list-style-type: none"> Added a note on the definition of “day” to instructions tab. Added a listing of parameters drop-down items to instructions tab. Changed the version number and date. 	<ul style="list-style-type: none"> None

AMD8	Production	<ul style="list-style-type: none"> • Added a note on the definition of “day” to instructions tab. • Changed the version number and date. 	<ul style="list-style-type: none"> • None
AMD9	RATA Summary	<ul style="list-style-type: none"> • Changed Audit Date(s) field to be text, to enable entry of multiple dates, with instructions as to how to do so. • Added a note on the definition of “day” to instructions tab. • Added a listing of parameters drop-down items to instructions tab. • Changed the version number and date. 	<ul style="list-style-type: none"> • None
AMD10	S-30	<ul style="list-style-type: none"> • Added a note on the definition of “day” to instructions tab. • Changed the version number and date. 	<ul style="list-style-type: none"> • None
AMD11	RATA/SES Notification	<ul style="list-style-type: none"> • Removed restriction on dates entered in “Deviations Approval Date by Regulator” column. • Changed the version number and date. 	<ul style="list-style-type: none"> • None
AMD12	Sulphur Recovery and Removal	<ul style="list-style-type: none"> • Added a note on the definition of “day” to instructions tab. • Changed the version number and date. 	<ul style="list-style-type: none"> • None

Version 3.0 Changes – December 20, 2018

Form	Form Changes	Changes to Drop-downs
AMD1 Approval Contravention	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab.
AMD2 CEMS Summary	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab.
AMD3 CEMS Zero and Span Summary	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab.
AMD4 CGA Summary	<ul style="list-style-type: none"> • This form has been reformatted. In the previous version, the cylinder gas information and the CGA response information were in two separate tables, and these tables were duplicated for a dual-range analyzer. These four tables have been combined into one, with separate sections for each part. The information requested is the same (though there were two columns in the cylinder gas table which were duplicated in the CGA response, and these have been removed), only the format has changed. • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab.

AMD5 Emission Summary	<ul style="list-style-type: none"> • Corrected a spelling mistake in the Measurement or Calculation Method drop-down. • Updated data validation rules on the three monthly tabs, annual tab, and example tab to allow for entry of 0 (zero) hours operational. • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab.
AMD6 Flare Stack	<ul style="list-style-type: none"> • Set Column B (Gas analysis Date(s)) to text, and added special instructions for entry of date(s) in that column to enable proper intake of multiple dates. • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added a Yes/No dropdown to column H – Reference to Notification Provided – with instructions. • Added six units to the units drop-down, and the instructions tab.
AMD7 Manual Stack Survey Summary	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab.
AMD8 Production	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • No drop-downs in AMD8.
AMD9 RATA Summary	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	<ul style="list-style-type: none"> • Added six units to the units drop-down, and the instructions tab. • Added one entry to performance specification units

		(°C of ref method), and updated wording of another unit (m/s of RM to m/s of ref method).
AMD10 S-30	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	• No drop-downs in AMD10.
AMD11 RATA/SES Notification	<ul style="list-style-type: none"> • Corrected capitalization of “RATA Certification” in drop-down for Type of Survey. • Made minor correction to date formats in columns F, and G (Proposed Start and End Dates). • Set Column N (Rescheduled Date(s)) to text, and added special instructions for entry of date(s) in that column, to enable proper system intake of multiple dates. • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	• No drop-downs in AMD11.
AMD12 Sulphur Recovery and Removal	<ul style="list-style-type: none"> • Changed validation of AER ID to allow a string of between 0 and 254 characters. • Removed rounding from cell formats. • Added notes in instructions tab on decimal places and referring to the XML schema for form field descriptions and which fields are required. • Changed the version number and date. 	• No drop-downs in AMD12.

Version 2.0 Changes – October 31, 2018

Form	Form Changes	Drop-downs Added
AMD1 Approval Contravention	<ul style="list-style-type: none"> • Changed H15 to read "Source Identifier" rather than "Source ID". • Removed "Substance" from headings and replaced with "Parameter". • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added units drop-down to columns K and M.
AMD2 CEMS Summary	<ul style="list-style-type: none"> • Changed column A heading to "Name of Parameter". • Removed column AM (approval limit for operational mode code), as it duplicated column X. • Cells E12, E14, I12, I14 changed "QAP Audit" to "Annual Evaluation". • Changed E14 to "Date of annual evaluation completion" rather than a date range. • Changed cell AI "Type of performance test done" to a drop down list (RATA, CGA). • Updated heading titles for columns N to Y (was formerly "monthly results"). • Column headings AB to AF changed to refer to CEMS User Manual. • Added note on use of operational mode codes in column AL. • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added Parameters drop-down to column A. • Added Units drop-down to columns B,H, and J.
AMD3 CEMS Zero and Span Summary	<ul style="list-style-type: none"> • Added a column (now I) for "Analyzer Full Scale Units". • Changed columns J and N to "Based on the Alberta CEMS Code" so to not refer to table in 1998 Code. • Changed column L and P headings to "Reference Gas Concentration". • For columns L and P, added note that units match column I. • Changed instructions tab first section and submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added Parameters drop-down to column E. • Added Units drop-down to column I. • Added Criteria drop-down to columns J and N.
AMD4 CGA Summary	<ul style="list-style-type: none"> • Changed headings in H35 and H50 to say "Criteria based on the Alberta CEMS Code" rather than referring to a section number. 	<ul style="list-style-type: none"> • Added Parameters drop-down to B16.

	<ul style="list-style-type: none"> • Changed heading for analyzer range and dual range (cells D24 and F24) to "analyzer upper range" and added D22 and F22 analyzer lower range. • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added Units drop-downs to D20, D26, F26, D30:D32, B36:B38, D45:D47, and B51:B53. • Added Criteria drop-downs to H36:38 and H51:H53.
AMD5 Emission Summary	<ul style="list-style-type: none"> • Cells A15, A17 & D17, changed "substance" to "parameter". In bottom of form, changed heading for "substance total" to "parameter total". • Added "source name" field in new row (22 & 23) and updated comment in A20 to include "source name". Updated example tab for unique source identifier and source name. • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added parameters drop-down for B17. • Added units drop-down for E17.
AMD6 Flare Stack	<ul style="list-style-type: none"> • Removed note in A20 that both SO₂ and sulphur must be reported. • In cell D19 added "CEMS Station ID (if applicable)". • In A20 added note "As defined in the Codes for Electronic Reporting." • Added "Source Name" field in E/F19 and updated example table for source name. • Added input message into column B cells showing format for reporting multiple dates. • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added parameters drop-down to M20:P20. • Added units as drop-down to M21:P21.
AMD7 Manual Stack Survey Summary	<ul style="list-style-type: none"> • In A19 added asterisk to "CEMS Station ID". • In A20 added note for asterisk "As defined in the Codes for Electronic Reporting". • Added "Source Name" field in C/D15 and updated example tab for source name. • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added parameters drop-down for column A. • Added units drop-down for columns B and P.
AMD8 Production	<ul style="list-style-type: none"> • Changed instructions tab submission section. 	<ul style="list-style-type: none"> • No drop-downs added to AMD8.

<p>AMD9 RATA Summary</p>	<ul style="list-style-type: none"> • Changed "Notification Date" (cell G16) to Dec 15, 2017 in example tab. • Changed column K to "CEMS Code Performance Specification". • Changed column M heading to "Bias (%)". • Changed column N to "Meets CEMS Code Bias Spec?" • Added input message into cell E16 showing format for reporting multiple dates. • Changed instructions tab submission section. • Added descriptions for units drop-down in instructions tab. 	<ul style="list-style-type: none"> • Added parameters drop-down to column A. • Added units drop-down to column B. Added performance specifications drop-down to column K. • Added performance specification units drop-down to column L.
<p>AMD10 S-30</p>	<ul style="list-style-type: none"> • Sulphur Production (column E) and Sulphur Stack Emission (column F) were blacked out, as these fields will not apply to sour gas facilities with <1 tonne/day sulphur inlet and these duplicate the AMD6 Flare Stack Form. • Changed instructions tab submission section. 	<ul style="list-style-type: none"> • No drop-downs added to AMD10.
<p>AMD11 RATA/SES Notification</p>	<ul style="list-style-type: none"> • Added "RATA certification" to drop down in column A for Type of Survey. • Added new column after E - now has proposed test start date (E) and proposed test end date (F). • Added column C "Source Name" field and updated example with source name. • Changed instructions tab submission section. 	<ul style="list-style-type: none"> • No drop-downs added to AMD11.
<p>AMD12 Sulphur Recovery and Removal</p>	<ul style="list-style-type: none"> • Changed example tab: value in cell 56 moved to L56, cell L56 moved to M56. • Moved "Analyzer Uptime" field from E15 to G15 and added "Source Name" to E15. Updated example for source name. • Changed instructions tab submission section. 	<ul style="list-style-type: none"> • No drop-downs added to AMD12.